

ALVEO™ MA35D ACCELERATOR

Unleashing Interactive Streaming at Scale

OVERVIEW

With the global video market now being dominated by live streaming, a new class of low latency applications are emerging and influencing the cost structure and associated deployment strategy of infrastructure and video processing technologies.

The Alveo™ MA35D media accelerator is ushering in a new era of interactive media applications that scales for cost-, area-, and power-per video channel. Supporting high channel density at up to 32x 1080p60 streams, the accelerator is optimized to reduce rack space, network bandwidth, and power consumption—all while maintaining video quality at ultra-low latency. By helping to reduce CAPEX and OPEX, infrastructure and content providers can cost-effectively scale while ensuring optimal quality of experience.

With a Half-Height, Half-Length (HHHL) PCIe® form factor, the Alveo MA35D card delivers comprehensive support for video codec technologies including H.264, H.265, and the emerging AV1 standard.

HIGHLIGHTS

Video Processing Unit for High Density, Ultra-Low Latency Streaming

- Specialized ASIC architecture reduces cost-, area-, and power-per stream
- Support for AV1, H.264, H.265 at latencies as low as 8ms (4Kp60)
- 8K max resolution


AI-Enabled, Intelligent Video Pipeline

- Compression efficiency helps reduce bandwidth at optimal video quality
- AI-enabled “smart streaming” enhances quality of experience at lower bitrates

Cost-Effectively Scale for Interactive Media Applications

- Providers can affordably scale for high-volume, real-time streaming
- Enables a new class of interactive media and monetization services

As low as **8ms** Latency for 4K streaming (AV1)



KEY APPLICATIONS

LIVE EVENTS

- Live Events
- Remote Production

VIDEO COLLABORATION

- Video Conferencing Streaming
- e-Learning
- Telemedicine
- Customer Service

CLOUD GAMING

- Cloud Gaming Streaming
- eSports

INTERACTIVE MEDIA

- Watch Parties
- Social Streaming (Content Creators)
- Live Shopping and eCommerce
- Online Auctions
- Online Wagering

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93


<https://amd.nt-rt.ru/> || aid@nt-rt.ru

VIDEO PROCESSING UNIT FOR HIGH DENSITY, LOW LATENCY STREAMING

Designed from the ground-up for interactive media applications streaming, the Alveo™ MA350 media accelerator is based on a specialized ASIC architecture to deliver the best economics in terms of cost-, area-, and power-per-stream. Two of these purpose-built video processing units (VPU) power the accelerator and feature multiple video encoders, a hardened scaler to implement Adaptive Bitrate (ABR) ladders, a hardware compositor engine, an AI processor, video quality engines, and more. By accelerating the whole video pipeline on a single device, the Alveo MA350 platform reduces data movement between CPU and accelerator, maximizing channel density and minimizing chip-to-chip latency.

Accelerating the Whole Video Pipeline

Video Processing Unit (2X per card)



The Alveo MA350 accelerator supports the stringent latency requirements of media applications and emerging use cases that offer personalization, gamification, and monetization services such as live shopping, live auctions, online wagering, and more. The card is architected such that latency reduces linearly with resolution and format reductions for diverse endpoints.



5sec

8ms

4K STREAMING LATENCY CONTINUUM

Live Events

Live Shopping

Live Auctions

Online Wagering

Video Collaboration

Cloud Gaming



5 sec

1 sec

200ms


8ms

AI-ENABLED, INTELLIGENT VIDEO PIPELINE

The platform features an AI Processor per device that functions as a co-processor to the encoder. The dedicated engine evaluates content, frame-by-frame, and dynamically adjusts encoding (codec) parameters to enhance perceived visual quality while reducing bitrate. Optimization techniques include

- **Region-of-Interest (ROI)** encoding, where portions of the video are optimized—such as text and face—to enhance perceived visual quality while maintaining low bitrate.
- **Artifact Detection and Correction** removes ‘blockiness’, ringing, and blurring in video containing high level of motion or complexity.
- **Content Aware Encoding (CAE)** provides scene analysis predictive insights to encoder for bitrate optimization.

By integrating AI within a fully hardware accelerated pipeline, the Alveo MA35D can implement intelligent optimizations at scale and at low latency. The processor is inherently customizable to evolve for new AI techniques and use cases.



COST-EFFECTIVELY SCALE FOR INTERACTIVE MEDIA APPLICATIONS

Profitably scaling high-volume streaming services requires maximizing the number of channels per server while minimizing power- and bandwidth-per stream. The Alveo MA35D media accelerator can deliver up to 32x 1080p streams per card, and with its slim Half-Height, Half-Length (HHHL) PCIe® form factor can equip a 1U rack server with 8-10 cards to maximize streams per server, per rack, and per data center. With 1 watt per stream¹ and 52% bitrate reduction compared to a software implementation², the card helps reduce power and bandwidth OPEX so infrastructure and content providers can profitably scale.


CAPEX

Up to 32x 1080p60 channels per card maximizes streams-per-server and helps reduce CAPEX




Power OPEX

1 watt per stream¹ helps reduce overall power expenses



Bandwidth OPEX


Up to 52% bitrate reduction² vs. software implementation for bandwidth savings



SPECIFICATION

CODEC AND HARDWARE ENGINES	
Encode Formats	• H.264 H.265 AV1 • 2 discrete transcoding chips per card enable multiple standards concurrently (for new and legacy endpoints) • Faster than Real-Time encoding (file-based use case)
Decode Formats	• H.264 H.265 AV1 VP9
H.264 / H.265 Performance	• 4x 4Kp60 16x 1080p60 32x 1080p30 72x 720p30
AV1 Performance	• 4x 8Kp30 8x 4Kp60 32x 1080p60 64x 1080p30 144x 720p30
Max Channel Density & Resolution	• 256 maximum transcode channels • 7680 x 4320 maximum resolution
8/10-bit Formats	• YUV 4:2:0 planar and semi-planar • RGB planar
Comparable Presets	• H.264: x264 medium • H.265: x265 medium • AV1: x265 slow
Video Processing	• ABR Scaler • Compositor Engine • Video Look-Ahead Engine • Video Quality (VQ) and Quality-of-Experience (QoE) Engine • 2D graphics overlay
AI Processor	• AI Processor • 22 TOPS per card • Maximizes video quality at reduced bandwidth • AI-enabled Region-of-Interest optimization (e.g., text, face), artifact reduction ,and content aware encoding
Auxiliary Processor	• 2x 64-bit quad-core RISC-V subsystem • Performs control and board management tasks • Minimizes software running on x86 host CPU
BOARD SPECIFICATIONS	
Form-Factor	• HHHL, Single-slot
Host Interface	• PCIe® Gen4/Gen5 x8; bi-furcated x4x4 • SR-IOV
Memory	• 16GB LPDDR5
Typical Power	• 35W (50W TDP), passive cooling

TAKE THE NEXT STEP



¹Typical power for 8 4K streams or 32 1080p60 streams estimated at 35W, based on preliminary testing and subject to change.
50W Total Thermal Design Power (TDP)

²An Alveo™ MA350 AV1 Encode is 52% better on average in video quality than an open source x264 VeryFast SW model using various VMAF BD rates across 13 video files at various resolutions. Based on testing by AMD Labs in March 2023, using the VMAF scores of Alveo MA350 H.264 encode, H.265 encode, and AV1 encode compared to the VMAF scores of open source x264 VeryFast, X265 Medium, and X265 Slow SW models across (13) publicly available video files at various resolutions and bitrates. Actual results may vary. ALV-006

Video Multimethod Assessment Fusion (VMAF) is an objective full-reference video quality metric developed by Netflix in cooperation with the University of Southern California, predicting subjective video quality based on a reference and distorted video sequence. The metric can be used to evaluate the quality of different video codecs, encoders, encoding settings, or transmission variants.

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новый Уренгой (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://amd.nt-rt.ru/> || aid@nt-rt.ru